

### imageCLASS X MF1440

Black-and-White  
Compact  
Multifunction

Print up to 42 ppm (BW)

Print up to 8-1/2" x 14"

900-sheet maximum paper capacity

Supports uniFLOW and uniFLOW Online

Designed for small workgroups within an office or home environments used as part of an organization's extended print fleet, the Canon imageCLASS X MF1440 printer offers speedy performance, minimal maintenance, and an extra paper tray option. Delivering an intuitive user experience, the 5" color touchscreen can be customized to simplify many daily tasks.



#### WORKFLOW EFFICIENCY

- 5" intuitive color touchscreen with smartphone-like usability.
- UI customization allows users to drag and drop frequently used icons.
- New Application Library features create a unique, customized device experience, and ease of use.
- Supports certain compatible mobile solutions for printing and scanning.<sup>1</sup>
- Scan and convert documents to searchable digital files through a single-pass, duplex document feeder.
- Designed for small print jobs with first-print-out time as fast as 4.9 seconds.
- Provides consistency with the imageRUNNER ADVANCE DX Series.



#### SECURITY FEATURES

- Helps reduce the risk of confidential information loss, since documents are only stored in short-term memory.
- Remotely control device access and set rules via optional uniFLOW or uniFLOW Online.
- Limit document distribution by implementing Send-to-Myself-only.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at setup. Includes automatic recovery of boot process for self resiliency.
- With imageWARE Enterprise Management Console Device Configuration Manager Plug-in, security settings can be captured and exported to other devices on the same network.<sup>2</sup>



#### COST MANAGEMENT

- Leverage optional uniFLOW or uniFLOW Online for full accounting and reporting for Canon and third-party devices, pull printing, and job routing.
- Service parts are designed for machine's life cycle to help minimize the need for proactive maintenance and potentially reduce service calls.
- High-capacity, all-in-one cartridge helps reduce overall supply costs.
- Out-of-the-box, standard, two-sided printing plus the ability to print multiple pages onto one sheet help to reduce paper consumption.



## DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics for rapid service response.
- Easily monitor device status and consumable levels, observe meter readings, manage settings, and implement security settings.



## QUALITY AND RELIABILITY


- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished.
- Intuitive maintenance videos for common tasks like consumables replacement.



## SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve lower energy consumption.
- Encourage environmentally conscious work practices by providing multiple settings that can help save paper and energy.
- ENERGY STAR® certified and currently rated EPEAT® Silver.<sup>3</sup>

### KEY FEATURES



## MANAGE OUTPUT WITH uniFLOW SOFTWARE

The optional uniFLOW portfolio offers an on-premise or cloud solution that imageCLASS devices can utilize with flexible authentication. With either card-based or PIN-code-based authentication, imageCLASS devices can help secure output management, track costs with reporting, and operate mobile printing—one platform for your print, scan, and device management.



## FLEET MANAGEMENT TOOLS

imageWARE Enterprise Management Console can be used by a device administrator to centrally manage the Canon printer fleet, including consumables, status notifications, meters, and configuration settings. imageWARE Remote software allows for the service provider to manage devices proactively, including remote diagnosis and reporting. Local Content Delivery System facilitates remote firmware download at the device level.



## FAST, SINGLE-PASS DUPLEX SCANNING

The Color imageCLASS X MF1440 model leverages a single-pass document feeder for two-sided scanning at up to 100 images per minute (ipm) in black-and-white or up to 80 ipm in color. Easily scan directly to PC, USB, email, or the network. Scanned files can be converted into multiple file formats, including Hi-Compression PDF and Searchable PDF (OCR).



Single-Pass 2-Sided Scan



## EASY TO USE WITH APPLICATION LIBRARY

Unique to the Canon product line, the Application Library platform allows for one-touch creation of key functions: Print Template, Standby Slide (screen saver), Scan-to-Preset Destination, ID Card Copy, Consumables Information, Copy (Eco), Copy (Bleed Reduce), Passport Copy, Fax and Store, Name and Scan, Copy (Enhanced Text), Language, Print Client Faxes, Fax to Preset Destination, Template Email, Standby Slide from Server, and Print File from Server.



APPLICATION LIBRARY

## Main Unit

### Core Functions

Standard: Print, Copy, Scan, Send, Fax

### Processor

Canon Custom Processor

### Control Panel

5" Color Touch Panel

### Memory

1 GB

### Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11b/g/n, Wi-Fi® Direct Connection

### Paper Capacity (Letter, 20 lb. Bond)

Standard: 250 Sheets  
Maximum: 900 Sheets

### Paper Sources (Letter, 20 lb. Bond)

Standard: 250-sheet Paper Cassette, 100-sheet Multipurpose Tray  
Optional: 550-sheet Paper Cassettes (Cassette Unit-AH1)

### Paper Output Capacity (Letter, 20 lb. Bond)

Standard: 150 Sheets

### Supported Media Types

Cassettes: Thin, Plain, Thick, Color, Recycled, Coated, Pre-punched, Letterhead,  
Multipurpose Tray: Thin, Plain, Thick, Color, Recycled, Coated, Label, Pre-punched, Letterhead, PostCard, Envelope

### Supported Media Sizes

Cassettes: Letter, Legal, Statement, Executive Custom (Min. 4.1" x 5.8" to Max. 8.5" x 14")  
Multipurpose Tray: Letter, Legal, Statement, Executive Envelope: COM10, Monarch, C5, DL Custom (Min. 3" x 5" to Max. 8.5" x 14")

### Supported Media Weights

Cassettes: 16 lb. Bond to 44.4 Cover (60 to 120 gsm)  
Multipurpose Tray: 16 lb. Bond to 73.6 lb. Cover (60 to 199 gsm)

### Warm-Up Time

From Power On: 14 Seconds or Less  
From Sleep Mode: 4 Seconds or Less

### Dimensions (W x D x H)

Standard (Desktop): 16.5" x 18.1" x 14.7" (420 x 460 x 375 mm)

### Installation Space (W x D)

Fully Configured: 16.5" x 34.75" (420 mm x 881 mm)

### Weight<sup>4</sup>

Unit: Approx. 34.4 lb. (15.6 kg)

### Supported OS

UFR II: Windows® 10/11, Server 2012/Server 2012 R2/Server 2016/Server 2019/Server 2022, Mac OS (10.13 or later)

## Print Specifications

### Printing Method

Laser Beam Printing

### Print Speed<sup>5</sup>

Up to 42 ppm (Letter)

### First-Print-Out Time

Approx. 4.9 Seconds

### Recommended Monthly Page Volume

750 - 4,000 Pages

### Print Resolution (dpi)

600 x 600

### Standard Page Description Languages

UFR II, PCL®6, PCL®5, Adobe PostScript 3®

### Double-Sided Printing

Automatic (Standard)

### Direct Print

Available from USB Memory (JPEG, TIFF, PDF)

Printing from Mobile and Cloud-based Services<sup>1</sup>

Apple® AirPrint®, Canon Print Business, Mopria™, Canon Print Service, uniFLOW Online, Universal Print®

### Fonts

PCL: 93 Fonts  
PS: 136 Fonts

### Print Features

Secure Watermark, Header/Footer, Page Layout, Two-sided Printing, Mixed Paper Sizes/Orientations, Toner Reduction, Poster Printing, Print Date

## Copy Specifications

### Copy Speed

Up to 42 ppm (Letter)

### First-Copy-Out Time (Letter)

Approx. 6.0 Seconds

### Copy Resolution (dpi)

Up to 600 x 600

### Copy Size

Platen: Up to Letter  
ADF: Up to Legal

### Multiple Copies

Up to 999 Copies

### Magnification

25% - 400% (1% Increments)

### Preset Reductions

25%, 50%, 64%, 78%

### Preset Enlargements

129%, 200%, 400%

### Copy Features

Preset R/E Ratios by Area, Two-Sided, Density Adjustment, Original Type Selection, Two-sided Original, Sort, N-on-1, Different Size Originals, Sharpness, Erase Frame, Copy ID Card, Copy Passport, Reserved Copy

## Scan Specifications

### Type

Single-Pass Duplexing Automatic Document Feeder

### Document Feeder Paper Capacity

50 Sheets (20 lb. Bond)

### Document Feeder Supported Media Sizes

Legal, Letter, Statement

### Document Feeder Supported Media Weights

Single and Double-sided scanning: 14-28 lb. Bond (50-105 g/m<sup>2</sup>)

### Platen Acceptable Originals

Sheet, Book

### Pull Scan

ScanGear MF for TWAIN, WIA, and ICA

### Scan Resolution (dpi)

Up to 600 x 600

### Scan-to-Mobile Devices

Canon PRINT Business

### Scan Speed (Letter)

Single-sided: 40/50 ipm (300 x 300 dpi) (Color/BW)  
Double-sided: 80/100 ipm (300 x 300 dpi) (Color/BW)

### Memory Media

Standard USB Memory (JPEG, TIFF, PDF)

## Send Specifications

### Destination

Email/Internet FAX (SMTP), SMB, FTP

### Address Book

LDAP (50)/Local (300)/Speed Dial (281)

### Send Resolution (dpi)

600 x 600 (Pull Scan), 192 x 204 (iFax), 300 x 300 (Other)

### Communication Protocol

File: FTP (TCP/IP), SMB3.0 (TCP/IP)  
Email/iFax: SMTP (Send), POP3 (Receive)

### File Format

Standard: TIFF, JPEG, PDF (Compact, Searchable)  
Optional: PDF (Encrypted, Digital Signature)

## Fax Specifications

### Modem Speed

Super G3: 33.6 Kbps  
G3: 14.4 Kbps

### Compression Method

MH, MR, MMR, JBIG

### Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

### Sending/Recording Size

Statement to Legal

### Fax Memory

Up to 512 Pages

### Speed Dials

Max. 281 Dials

### Group Dials/Destinations

Max. 299 Dials

### Sequential Broadcast

Max. 310 Addresses

### Memory Backup

Yes

### Fax Features

Sender's Name (TTI), Direct Send, Preview, TX Report, Sequential Broadcasting

## Security Specifications

### Authentication

Standard: Embedded Universal Login Manager, Department ID Authentication  
Optional: uniFLOW Online Express

### Device

Standard: Standard Storage Initialize, Job Log Conceal Function, Protecting MFP Software Integrity, Verify System at Startup with Automatic Recovery

### Network

Standard: TLS 1.3, IPSec, IEEE802.1X authentication, SNMPv3, Firewall Functionality (IP/MAC Address Filtering), Enabling/Disabling (Network Applications, Remote UI, USB Interface), G3 FAX separation from LAN, USB Port separation from LAN

### Document

Standard: Print Security (Secure Print, Encrypted Secure Print, uniFLOW Secure Print®), Scan Security<sup>11</sup> (Encrypted PDF, Device Signature PDF/XPS), Send Data Security (Restricted Email/File send functions, Confirming FAX number, Allow/Restrict Fax Driver Transmissions, Allow/Restrict Sending from History)  
Optional: uniFLOW Online/uniFLOW PDF Security-E1

### Wi-Fi Authentication Methods

Wi-Fi Infrastructure Mode: 128(104)/64(40)bit WEP, WPA-PSK(TKIP/AES-CCMP), WPA2-PSK(TKIP/AES-CCMP), WPA-EAP(AES-CCMP), WPA2-EAP(AES-CCMP)

Wi-Fi Access Point: WPA2-PSK(AES-CCMP)

## Environmental Specifications

### Operating Environment

Temperature: 50 to 86 °F  
Humidity: 20 to 80% RH (No Condensation)

### Power Requirements

AC 120-127 V: 6.0 A, 60 Hz

### Power Consumption

Maximum: Approx. 1250 W  
Standby: Approx. 8.0 W  
Sleep Mode: Approx. 0.9 W  
Typical: 0.33 kW

Electricity Consumption (TEC) Rating:

### Standards

ENERGY STAR® Qualified, Currently Rated EPEAT Silver<sup>3</sup>



**OPTIONAL CASSETTE-AH1**

- 550-Sheet Capacity
- 44.4 lb. Bond to 74 lb. Cover
- Support Letter

**Accessories**

**Card Readers<sup>5</sup>**

**MiCard Readers<sup>9</sup>**  
Proximity card reader designed to be used with uniFLOW for card authentication.

**Copy Card Reader-F1**  
Department ID authentication with Canon magnetic stripe cards.

**Print Accessories**

**Barcode Print Kit-E1**  
Installs bar code fonts for bar code printing.

**Send PDF Security Kit-E1**  
Send encrypted PDFs and add digital device signatures.

**Control Interface Kit-C1**  
Connects third-party card reader or coin operator system to device.

**Extended Service Packs**

**Canon eCarePAK**  
Canon Extended Service Plans offer coverage beyond the standard one-year limited warranty<sup>10</sup> up to four years.

**GENUINE<sup>®</sup> CONSUMABLES**



**Toner T13**  
(Yield up to 10,600 Pages)

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues.

*Toner yielding 2,700 pages is included in the box.*

<sup>1</sup> Canon PRINT Business is a free app available on the App Store<sup>®</sup> and Google Play<sup>™</sup> Store. For more information, including compatibility, please visit <https://www.usa.canon.com/mobile-app>. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.

<sup>2</sup> Please reference user manuals for details on settings available to export.

<sup>3</sup> For latest EPEAT ratings (Gold/Silver/Bronze), please visit [www.epeat.net](http://www.epeat.net).

<sup>4</sup> Includes consumables.

<sup>5</sup> Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.

<sup>6</sup> Requires optional uniFLOW Online/uniFLOW.

<sup>7</sup> Requires optional PDF SECURITY-E1.

<sup>8</sup> Attachment kit required.

<sup>9</sup> Ask Dealer for reader compatibility information.

<sup>10</sup> Limited warranty program is subject to certain conditions and restrictions. See warranty card for details.



usa.canon.com



As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. uniFLOW is a registered trademark of NT-ware Systemprogrammierung GmbH. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.

©2023 Canon U.S.A., Inc. All rights reserved.

07/23-1178-8627

